

TORO

Count on it.

ProPass™ 200



**Consistent topdressing.
Good for your course, easy for you.**

TORO**Count on it.**

Topdressing is smart. The ProPass™ 200 makes it simple.

Healthy turf starts with consistent topdressing. Now it's easy to achieve your desired spread time after time with the ProPass 200.



The ultimate answer for consistent topdressing.

The ProPass 200 ensures a consistent spread pattern and application rate every time with a patented “drop zone” adjustment system. Just slide the twin spinner assembly to adjust your pattern and you can be sure your turf is getting the optimum treatment. The precisely defined spread area makes it easy to match edge line to edge line with each pass.



Easy to operate.

Anyone can get a perfect spread with the ProPass 200, thanks to an intuitive color-coded system that eliminates guesswork. Choose from ultra-light dustings to ultra-heavy aeration hole filling applications, and everything in between. Repeatable settings make it easy to ensure consistent operation.



Take control wirelessly*.

An optional wireless controller lets you make real time adjustments from up to 100 yards away. You can change the spinner and conveyor belt speed, make quick changes to settings, and store settings for future use.

**See your local distributor for availability in your region.*



A light touch.

The ProPass 200 is engineered with a unique walking beam suspension that keeps all four wheels on the turf, even on rolling terrain. Its light footprint is easy on even the most sensitive greens or fields.



Configured to meet your specifications.

You can choose from a range of configurations and controls to match your needs, tow vehicle and budget. The ProPass 200 is available in a bed mounted version, or a trailer version with either engine or vehicle hydraulic power.



Designed to do more.

The twin spinner accessory can be removed without tools and quickly swapped out with a 180° swivel cross-conveyor, allowing you to top off bunkers, fill ditch lines, place landscaping materials and more.

Specifications ProPass 200

SPECIFICATIONS			
Model:	PROPASS 200 STANDARD HYDRAULIC, MODEL 44701 / PROPASS 200 WIRELESS, MODEL 44700		
General	Hopper Capacity: 0.54 m ³ (21 ft ³) struck 0.71 m ³ (25 ft ³) heaped Controls: Standard or Electronic Wireless Belt: One-piece vulcanized, self-tracking (no seams or staples) Hydraulic Power Pack (optional): 8.2 kW (11 hp) engine Cross Conveyor / Swivel Kit Assembly (option): Cross Conveyor rotates 180 degrees		
Weight	Base Model: 248 kg (546 lbs.) Tow Behind Chassis: 218 kg (480 lbs.) Truck Mount Kit: 41 kg (90 lbs.) Twin Spinner: 64 kg (140 lbs.) Truck Mount Storage Stand: 29 kg (65 lbs.) Hydraulic Power Pack Engine: [dry] 100 kg (220 lbs.) Cross Conveyor / Swivel Kit Assembly: 64 kg (140 lbs.)		
Dimensions	Tow-Behind Configuration Length: 340 cm (134") Height: 142 cm (56") Width: 165 cm (65") Total Unit Weight: 529 kg (1,166 lbs.) Payload: 907 kg (2,000 lbs.)	Truck Mount Configuration Length: 198 cm (78") Height: 142 cm (56") Width: 165 cm (65") Total Unit Weight: 352 kg (776 lbs.) Payload: 907 kg (2,000 lbs.)	Cross Conveyor Configuration Length: 165 cm (65") Belt Width: 8" (20 cm) seamless
Tires On Chassis	61 x 33 x 30 cm (24 x 13 x 12 in.), 4 ply Suspension: 4-wheel walking beam		
Tow Vehicle Requirements	Towing Capacity: 1542 kg (3400 lbs.) Tongue Weight: 136 kg (300 lbs.)		
Hydraulics	Minimum: 23 l/min @ 138 Bar (6 US gal/m @ 2,000 psi) Maximum: 38 l/min @ 193 Bar (10 US gal/m @ 2,800 psi)		
Warranty	Two-year limited warranty. Refer to operator's manual for further details.		
CE Requirements	Meets the CE requirements for the EU		
Specifications subject to change. Please contact your Toro distributor for details. The Toro ProPass 200 meets the specifications of your toughest jobs. For more detailed information, visit www.toro.com .			

TORO® PROFESSIONAL SERVICES

Toro Genuine Parts Keep the productivity and performance of your equipment at its peak by using genuine Toro replacement parts. Find and identify your replacement parts online at www.Toro.com/partsviewer.

Toro Training Toro Technical Service Schools are available from your local distributor. Explore the training and customer care areas of Toro.com and ToroNSN.com for readily available on-line education and training materials.

Toro Controller Repair Provides irrigation controller boards ready for immediate board exchange to assure that downtime is minimal and your turf stays protected. Toro is the choice for reliability. +1 909 785 3630

Toro NSN® An industry-first support network that provides reliable, around-the-clock irrigation central control system trouble-shooting and operation assistance. For assistance please contact:

Canada / Mexico / Latin America +1 325 673 8762

Europe / Middle East / Africa +32 14 56 29 33

Australia / Asia-Pacific +61 7 3268 2154

Products depicted in this brochure are for demonstration purposes only.

Actual products offered for sale may vary.

©2011 All Rights Reserved.

The Toro Company,

8111 Lyndale Ave. S., Bloomington, MN 55420-1196

GB Part No. 200-4903. Printed in U.S.A. www.toro.com



Count on it.