

**TORO®****Count on it.**

# Greensmaster® Flex 21 Accessories

## Greensmaster Flex 21

*No greens mower on the market delivers faster, truer greens than the remarkable Toro® Greensmaster® Flex 21. Its flexible cutting unit is mounted on a dual-axis suspension and flexible drive shaft to allow for superior ground following on even the most undulating greens.*

*To maximize your Greensmaster Flex 21, Toro offers a wide variety of attachments and accessories to deliver the highest quality of cut on varying course conditions and applications of use.*



### Greensmaster Flex 21 | 04024

- 3.7 HP (2.7 kW)
- Flexible suspension for superior ground following on even the most undulating greens
- Choose between an 11-Blade and 14-Blade Cutting Unit
- Traction Unit Only

### Greensmaster Flex 21

#### CARB Compliant | 04025

- Adheres to CARB emissions standards
- Only sold in California
- Traction Unit Only

## Cutting Unit & Reel Options



### 14-Blade DPA Cutting Unit | 04208

- Designed for extremely fine greens mowing at the lowest heights of cut.
- Includes narrow Wiehle roller
- Cutting Range 0.062" – 0.130" (1.6mm–3.3mm)



### 14-Blade Reel | 115-4289

- Fourteen blade replacement reel designed for extremely fine greens mowing
- Ideal for cutting heights of cut under .100" (3mm)

### 11-Blade DPA Cutting Unit | 04202

- Designed for precise greens mowing at low heights of cut
- Includes narrow Wiehle roller
- Cutting Range 0.090" – 0.160" (2.3mm–4.1mm)

### 11-Blade Reel | 107-7635

- Eleven blade replacement reel is designed for precise greens mowing at low heights of cut

### 8-Blade Reel | 107-7634

- Application for mowing at higher heights of cut, such as tee boxes or aprons surrounding greens



# Greensmaster® Flex 21 Accessories

## Standard Equipment



**Narrow Wiehle Roller** | 107-9037

- .200" (5mm) spaced, grooved aluminum roller
- Low penetration into turf



**EdgeMax™ Microcut Bedknife** | 115-1880

- Height of cut range between 1/16" – 3/16" (2 – 5mm)
  - Tool steel bedknife for extended wear
- Standard on the 14-Blade Cutting Unit**



**Microcut Bedknife** | 93-4262

- Height of cut range between 1/16" – 3/16" (2 – 5mm)
  - Recommended for heights of cut below 1/8" (3mm)
- Standard on the 11-Blade Cutting Unit**

## Bedknife & Bedbar Options



**Tournament Bedknife** | 93-4263

- Height of cut range 1/8" – 1/2" (3 – 13mm)
- Thicker blade for longer lasting bedknife life

**Low Cut Bedknife** | 93-4264

- Height of cut range 3/16 – 1" (5 – 25mm)

**Microcut Bedknife** | 93-4262

- Height of cut range between 1/16" – 3/16" (2 – 5mm)
- Recommended for heights of cut below 1/8" (3mm)

**Extended Microcut Bedknife** | 108-4303

- Height of cut range between 1/8" – 1/2" (3mm – 12.7mm)
- Recommended for use in combination with the Aggressive Bedbar if scalping occurs

**Extended Tournament Bedknife** | 108-4302

- Height of cut range between 1/8" – 1/2" (3mm – 12.7mm)
- Recommended for use in combination with the Aggressive Bedbar if scalping occurs

**EdgeMax™ Microcut Bedknife** | 115-1880

- Tool steel bedknife for extended wear
- 21" (53 cm)

**EdgeMax™ Tournament Bedknife** | 115-1881

- Tool steel bedknife for extended wear
- 21" (53 cm)



**Aggressive Bedbar** | 99-3794-03

- Cutting edge moves farther behind center line of reel
- Designed for firm greens where a more efficient, aggressive cut is needed for more aggressive cultivars.
- Not recommended for use in soft turf conditions or in periods of high stress

*Note: May result in scalping of turf*



**Height of Cut Adjustment Bar** | 94-9010

- Adjustment bar used to adjust cutting heights

**High Height Of Cut Kit** | 106-4699

- Extends cutting range up to .2" – .75" (5.1 – 19.1mm)

# Greensmaster® Flex 21 Accessories

## Roller Options



### Wide Wiehle Roller | 107-9038

- 0.92" (23mm) groove spacing, aluminum roller
- Most aggressive front roller option
- Recommended for use in off greens applications on dense turf and high growth conditions to control growth



### Front Full Roller | 107-9039

- Least penetration into turf
- Recommended for use in soft conditions and high stress periods to prevent thinning of turf and edge marking of cutting unit



### Long Front Wiehle Roller | 93-9045

- 2 1/2" (64mm) diameter, 24" (61 cm) width
- Improves edge support and prevents edge marking on cutting unit
- Use in soft turf conditions

### Rear Full Roller | 107-9036

- Replacement roller
- 2.0" (51mm) diameter, aluminum

### Steel Rear Full Roller | 106-6945

- 2.0" (51mm) diameter, steel
- Steel roller increases weight on cutting unit for deeper penetration
- Recommended for use in combination with rear roller scraper to reduce wear



### Rear Roller Adjustment Kit | 114-4630

- Tool used to level rear roller



### Front Roller Extension Kit | 108-4333

- Roller extension wheels that attach on outside of front roller
- Used on soft turf or heavily undulated greens to prevent edge marking of cutting unit

## Groomer Options



### Flex Groomer Drive | 04224

- Requires 04227 or 04228



### Groomer Reel 21" | 04227

- High-strength, carbide-tipped groomer blades
- Reduces thatch and stands grass blades for a crisp, clean cut



### Grooming Brush | 04228

- Spiral rotating brush used to condition grass before cutting

*Note: Brush collects more clippings into basket than the Groomer reel, be careful of aggressiveness setting.*



### Groomer Quick-Up Kit | 107-8101

- Tool required to change groomer into up position

# Greensmaster® Flex 21 Accessories

## Scraper Options



### Narrow Wiehle Roller Scraper | 108-6468

- Clears rollers of dirt, grass and debris buildup that may impact height of cut

### Wide Wiehle Roller Scraper | 110-3961

- Clears rollers of dirt, grass and debris buildup that may impact height of cut

### Full Roller Scraper | 110-3962

- Clears rollers of dirt, grass and debris buildup that may impact height of cut

### Rear Roller Scraper | 112-9352

- Clears the rear roller of dirt, grass, and debris buildup
- Includes rear steel roller



### Narrow Wiehle Roller Scraper Brush | 110-3963

- Scraper brushes condition the surface of turf before cutting, while clearing rollers of dirt, grass and debris buildup

### Wide Wiehle Roller Scraper Brush | 110-3464

- Scraper brushes condition the surface of turf before cutting, while clearing rollers of dirt, grass and debris buildup

### Full Roller Scraper Brush | 110-3965

- Scraper brushes condition the surface of turf before cutting, while clearing rollers of dirt, grass and debris buildup



### Narrow Wiehle Roller Scraper Comb | 110-3966

- Scraper combs condition the surface of turf before cutting, while clearing rollers of dirt, grass and debris buildup

### Wide Wiehle Roller Scraper Comb | 110-3967

- Scraper combs condition the surface of turf before cutting, while clearing rollers of dirt, grass and debris buildup

### Full Roller Scraper Comb | 110-3968

- Scraper combs condition the surface of turf before cutting, while clearing rollers of dirt, grass and debris buildup

## Traction Unit Accessories



### Light Kit | 04061

- Allows operator to mow in low light conditions



### Push Broom Brush | 04119

- Conditions grass before cutting
- Primarily used on Bermuda, Bent, and other warm season grasses to stand and straighten grass blades for a crisp, clean cut



### Wheel Kit | 04123

- Used to transport walk greens mowers



### Operator Presence Bail Kit | 112-9282

- Safety feature that kills engine if operator releases handle



### Spark Arrestor Kit | 117-1441

- Prevents sparks from emitting from the engine

## Additional Accessories & Older Models Available

### Light Kit | 110-3463

- Allows operator to mow in low light conditions
- For 2007 models and older

### Clip Kit | 105-5325

- Alters clip frequency to optimize reel speed for an improved quality of cut
- For Model 04021 model only

### Hour Meter Kit | 105-5350

- Records hours of engine use
- Standard on 2009 Models

### Turf Evaluator | 04399

- Mirror device used to assess the condition of the turf

