

Landscape Contractor Zero Turn Mower Operator Safety Training

The Toro Company has designed products with great attention to operator and bystander safety.

By following Toro's operational, safety and maintenance guidelines, Toro product will provide years of efficient and reliable operation.

Together, safety is a priority!



Toro Z Master®
Zero Turn Mower Safety





General Safety Tips:

- Understand Toro's operational, safety and maintenance guidelines
- Understand product decals both operational and safety
- Keep equipment in good condition with all safety features in working order and in place
- Always repair product to original specifications
- Preview and evaluate the site you are mowing

Preparation & precaution are the keys to prevention.



Become familiar with controls and safety features







Wear appropriate clothing and protection















Evaluate the terrain before mowing






Remove all foreign objects from the lawn





Ensure discharge chute and other guards are on and in

place





Keep ROPS fully raised and locked and wear seatbelt







Preparation Summary:

- Understand Toro's operational, safety and maintenance guidelines & product decals
- 2. Become familiar with controls and safety features
- 3. Wear appropriate clothing, eye & hearing protection
- 4. Evaluate the terrain before mowing
- 5. Remove all foreign objects from the lawn
- 6. Keep all safety guards on and in place
- 7. Keep ROPS fully-raised and locked & wear seatbelt



Never carry passengers





Keep bystanders, pets and other objects a safe distance away





Use caution making turns, especially around hidden corners






Shut off engine and apply parking brake before leaving operator position








Do not operate on slopes greater than 15 degrees





Slope Chart:



GrandStand max. slope (20 degrees)

Z Master max. slope (15 degrees)



Avoid operation in wet conditions





Operate in the "Safety Zones" only





Example of Water Hazard





Example of Water Hazard





Example of Retaining Wall Hazard





Example of Retaining Wall Hazard





Example of Drop-off (Culvert) Hazard





Examples of Slope Hazards





Use GrandStand mowers, walk mowers or trimmers in "Danger Zones"





Other Hazards

Example of Trailer / Ramp Hazard



Not good.





Other Hazards

Use jack stands when performing maintenance and service (Note: Z Stands should only be used for cleaning and changing blades)







Safe Operation Summary:

- 1. Never carry passengers
- 2. Keep bystanders a safe distance away
- 3. Use caution making turns especially around hidden corners
- 4. Shut off engine & apply break before leaving operator position
- 5. Do not operate on slopes greater than 15 degrees
- 6. Avoid operation in wet conditions
- 7. Operate in the "Safety Zones" only
- 8. Use GrandStand, walk mowers or trimmers in "Danger Zones"
- 9. Use an appropriate full-width trailer ramp (< 15 degrees angle)
- 10. Support mower with jack stands for service & maintenance



Toro Safety Resources

Toro ZRT Safety Training Aids:

- Links to Toro Professional ZRT Operator Safety Videos
 - o English
 - o Spanish
- Link to Toro.com Product Safety Resources Page
 - Safety tips
 - Operator's Manuals



Together, Safety is a Priority!





Z Daily Safety Checklist

Preparation

- Understand Toro's operational, safety and maintenance guidelines & product decals
- Become familiar with controls and safety features
- Wear appropriate clothing, eye & hearing protection
- Evaluate the terrain before mowing
- Remove all foreign objects from the lawn
- Keep all safety guards in place
- Ensure discharge chute is on and in place
- Keep ROPS fully-raised and locked & wear seatbelt

Operation

- Never carry passengers
- Keep bystanders a safe distance away
- Use caution making turns, especially around hidden corners
- Shut off engine and apply parking brake before leaving operator position
- Do not operate on slopes greater than
 15 degrees
- Avoid operation in wet conditions
- Operate in the "Safety Zones" only
- Use GrandStand, walk mowers or trimmers in "Danger Zones"
- Use an appropriate full-width trailer ramp (< 15 degrees angle)
- Support mower with jack stands for service & maintenance



Z Safety Quiz

- 1. Split ramps are acceptable when loading a zero turn mower onto a trailer or truck?
 - a) True
 - b) False
- 2. Which of the following is <u>not</u> recommended wear during operation of a zero turn mower?
 - a) Long pants
 - b) Sandals or flip-flops
 - c) Hat
 - d) Hearing protection
 - e) Eye protection
- 3. Walking and inspecting the area to be mowed beforehand is a good idea?
 - a) True
 - b) False

- 6. When should the ROPS and seatbelt be utilized?
 - a) Only around hazards
 - b) Only when mowing slopes
 - c) Only on rough terrain
 - d) Always
- 4. What is the maximum slope a zero turn mower can safely be operated on?
 - a) 10°
 - b) 12°
 - c) 15°
 - d) 17°
 - e) 20°
- 5. Which of the following are potential safety hazards while using a zero turn mower?
 - a) Retaining walls
 - b) Culverts or drainage ditches
 - c) Ponds or other bodies of water
 - d) Steep banks
 - e) All of the above



Certificate of Completion

is hereby granted to

to certify successful completion of

Zero Turn Mower Safety Training

Granted on _____

