

TORO.

Count on it.

Pro Force™



**It blows away everything...
including the competition.**

TORO**Count on it.**

The most powerful way to clear debris with ease.



The Toro Pro Force Debris Blower delivers unmatched air power*, durability and ease of use, for fast removal of grass clippings, leaves, aeration cores, sand, gravel, trash, or other debris from sports, golf, municipal, educational, entertainment and large scale residential facilities.

The Pro Force™ debris blower

- 20.1 kW (27 hp) Kohler® Command Pro™ engine (Twin cylinder, Air-cooled and Electronically governed)
- Highly efficient turbine-type axial flow fan design
- Wireless remote control
- Single-piece, impact-resistant plastic nozzle
- Fully enclosed exhaust system
- Rugged steel trailer frame
- Heavy duty trailer and hitch accommodates different towing vehicles
- Two-year or 1,500-hour limited warranty

* Independent tests show the Pro Force generates greater airflow volume than any other single nozzle turbine-type debris blower. Testing per the ANSI/AMCA 210-07 standard for Laboratory Methods of Testing Fans for Certified Aerodynamic Performance Rating.

Wireless Remote Control Offers Incredible Functionality.

Using the remote control provides increased productivity because unlike the competition, the operator doesn't need to walk to the engine to start or stop the Pro Force. It's easy to reduce sound for bystanders, plus it's a great fuel conservation device.



Unmatched Versatility.


Plus you can legally clear debris on public streets.



Road-Ready Model Available for Certain Markets**:

- USA D.O.T approved tires
- USA D.O.T. approved brake lights, taillights and license plate holder
- Torsion suspension axle
- Side reflectors
- 51 mm (2") ball hitch receiver
- Vehicle Identification Number (V.I.N.)

**Customer is responsible for licensing the product through their local transport authority. Not available in all markets.



Operators can also use the wireless remote control to rotate the nozzle a full 360 degrees in either direction, or adjust the engine throttle up or down to match air power to the job at hand.

Keep The Power With You.

Now the power of the Pro Force can be applied from the cargo bed of a utility vehicle, either Toro Workman vehicles or competitive units. Achieve a more compact, maneuverable configuration for a variety of jobs.

Unmatched Air Power.

The Pro Force™ debris blower combines a 20.1 kW (27 hp) Kohler® Command Pro® electronically governed engine with a highly efficient turbine style fan design to produce unmatched air power.



Twice The Warranty.

Toro's two-year warranty backs up our commitment to innovative engineering and gives you extra peace of mind. We are so confident in the durability of the Pro Force that our warranty offers an additional year of protection compared to the leading competitors.

Optional specialty nozzles provide a more concentrated air flow to attack various jobs more effectively.



Specifications Pro Force™ Debris Blower



SPECIFICATIONS

Engine Model	Kohler® Command Pro™
Fuel	Petrol
Fuel Tank Capacity	18.9 litres (5 gallons)
Engine Type	2-cylinder, air-cooled, electronically-governed
Horsepower	20.1 (27 hp)
Displacement	725 cc (44.0 cu. in.)
Nozzle	Single-piece impact-resistant plastic with 13" outlet diameter
Fan Design	Axial flow
Rotor Diameter	356 mm (14")
Fan Assembly Diameter	356 mm (14")
Wireless RF Controller	Engine start, Engine stop, Adjust engine throttle from low to high RPM range, 360 degree nozzle directional control
Air Flow	In 3rd party independent testing per the ANSI/AMCA 210-07 standard for Laboratory Methods of Testing Fans for Certified Aerodynamic Performance Rating, the Pro Force test results demonstrated greater air flow volume than any other single nozzle turbine-type debris blower.
Weight	215 kg (475 lbs)
Length	Standard 246 cm (97") from adjustable tow hitch to nozzle outlet. 457 mm (18") adjustable length for length range of 201 cm - 292 cm (79" - 115").
Width	122 cm (48")
Height	Standard 84 cm (33"). 152 mm (6") adjustable height for height range of 69 cm (27") to 99 cm (39")
Pull-behind Trailer	Lawn-tractor style hitch (Category 1)
Tire Size	20 X 10-8, 4-ply turf tire
Fenders	Custom injection molded plastic
Warranty	Two-year or 1,500 hour limited warranty*

The Toro Pro Force™ meets the specifications of your messiest jobs. *Refer to the Operator's Manual for further details. For more information, visit www.toro.com.

TORO® PROFESSIONAL SERVICES

Toro Genuine Parts Keep the productivity and performance of your equipment at its peak by using genuine Toro replacement parts. Find and identify your replacement parts online at www.Toro.com/partsviewer.

Toro Training Toro Technical Service Schools are available from your local distributor. Explore the training and customer care areas of Toro.com and ToroNSN.com for readily available on-line education and training materials.

Toro Controller Repair Provides irrigation controller boards ready for immediate board exchange to assure that downtime is minimal and your turf stays protected. Toro is the choice for reliability. +1 909 785 3630

Toro NSN® An industry-first support network that provides reliable, around-the-clock irrigation central control system trouble-shooting and operation assistance. For assistance please contact:

Canada / Mexico / Latin America +1 325 673 8762

Europe / Middle East / Africa +32 14 56 29 33

Australia / Asia-Pacific +61 7 3268 2154

Products depicted in this brochure are for demonstration purposes only. Actual products offered for sale may vary.

©2011 All Rights Reserved.

The Toro Company,

8111 Lyndale Ave. S., Bloomington, MN 55420-1196

GB Part No. 200-4980. Printed in U.S.A. www.toro.com



Count on it.